







LTFrame 2 FIBERGLASS TAPE
30m 15mm FWK 3015

LTFrame 2 FIBERGLASS TAPE
30m 15mm FWK 3015

DEM ASS®

LTFrame 2 FIBERGLASS TAPE
DEM ASS®


DEM ASS®



LTFrame 2 FIBERGLASS TAPE

30m 15mm FWK 3015

Two-side printing



End hook with pull ring



Fiberglass Tape

High-quality glass yarn is produced by twisting several hundred filaments in diameter of 9.5 microns.

High-quality PVC materials that meet the requirements of PAHs and REACH are extruded on the glued glass yarn.

High-quality transparent PVC materials are extruded on the printed fiberglass blade which has excellent abrasion resistance performance.



3:1 GEARED

www.demass.com

LTFrame 2 FIBERGLASS TAPE
30m 15mm FWK 3015

DEM ASS®
LTFrame 2 FIBERGLASS TAPE
30m 15mm FWK 3015

50m^{15mm}
FWK 5015

LTFrame 2TM
FIBERGLASS TAPE

LTFrame 2TM
FIBERGLASS TAPE

50m^{15mm}
FWK 5015


DEM ASS[®]



LTFrame 2TM
FIBERGLASS TAPE

50m^{15mm}
FWK 5015

Two-side printing



End hook with pull ring



Fiberglass Tape

High-quality glass yarn is produced by twisting several hundred filaments in diameter of 9.5 microns.

High-quality PVC materials that meet the requirements of PAHs and REACH are extruded on the glued glass yarn.

High-quality transparent PVC materials are extruded on the printed fiberglass blade which has excellent abrasion resistance performance.



3:1 GEARED

www.demass.com

LTFrame 2TM
FIBERGLASS TAPE

DEM ASS[®]

50m^{15mm}
FWK 5015

DEM ASS[®]



DEM ASS[®]

50m^{15mm}
FWK 5015

LTFrame 2TM
FIBERGLASS TAPE

LTFrame 2TM
FIBERGLASS TAPE

50m^{15mm}
FWK 5015